A Demonstration Project to Promote the Exchange of Public Health Information between Pathology Laboratories and NPCR Cancer Registries

Missy Jamison, MPH
National Program of Cancer Registries
Division of Cancer Prevention and Control



Overview

- Background
 - Cancer surveillance
 - Pathology labs
- Changes in the environment
- Key Partners
- Reporting Pathology Protocols (RPP) activities
- Challenges and Opportunities



Public Health Importance

- Estimated cancer burden in 2005
 - Second leading cause of death: 570,000
 - Estimated new cancers: 1,373,000
 - Direct medical costs \$69.4 billion

- Cancer is a reportable disease
 - Data collected by state health departments and sent to the National Program of Cancer Registries (NPCR) at CDC



Cancer Surveillance in the United States

- CDC's National Program of Cancer Registries (NPCR)
 - Contributes data for 45 states, DC and 3 territories
- NCI's Surveillance Epidemiology and End Results Program (SEER)
 - Contributes data for 5 states and 6 sub-state regions
- United States Cancer Statistics published annually







Cancer Data

- Traditionally diagnosed and reported from hospitals
- Reporting from hospitals has worked well
 - Codes defined by cancer community
 - Data reported electronically in a flat file format
 - Cancer registries read and process these files easily



Importance of Pathology Data

- > 90% of cancers diagnosed in pathology laboratories
- Pathology reports key for exact identification of cancer
- Potential for rapid reporting for special studies
- However...
 - Path reports traditionally in a narrative format
 - Dictated as the pathologist examines the specimen
 - Challenges to use in a computer environment



Changes in the Environment

- Cancer care moves from hospitals to out-patient settings
- Standardization of pathology reporting
- The American College of Surgeons
 - Accredits hospital cancer programs
 - Starting January 2004
 - Require that 90% of pathology reports use the new standards
- Public Health Information Network (PHIN)



Reporting Pathology Protocols (RPP)

- Purpose of RPP
 - Take advantage of the changes in the environment
 - Encourage a standard exchange of data between two key public health partners
 - Pathology labs
 - •NPCR cancer registries
 - Promote and evaluate national industry standards
 - Evaluate and compare to existing data



Reporting Pathology Protocols (RPP)

- In 2001, NPCR funded
 - California and Ohio for RPP1
 - Cancers of the colon and rectum
- In 2004, NPCR funded
 - California, Maine, and Pennsylvania for RPP2
 - Cancers of the breast, prostate, and melanoma of the skin
- RPP2 needed to
 - Develop processes and standards to implement nationwide



What does PHIN mean for this Project

- Messaging standard
 - Health Level 7 (HL7)
- Standard vocabulary for the question
 - Logical Observations and Identifiers Names and Codes (LOINC)
 - What is the primary site of the cancer
- Standard vocabulary for the answer
 - Systematic Nomenclature of Medicine, Clinical Terms (SNOMED CT)
 - The primary site is the right ascending colon



Key Partners

- College of American Pathologists (CAP)
 - SNOMED International
- Pathologists and pathology labs
- Pathology laboratory software vendors
- Cancer registries and software vendors
- Experts in PHIN vocabulary and messaging standards



College of American Pathologists (CAP)

- Principal organization of board-certified pathologists
- In 1999, the CAP Cancer Committee published checklists to be completed on paper to:
 - Aid pathologists with completeness, accuracy, and uniformity in reporting of malignant tumors
 - Supplement traditional reporting
- SNOMED International encoded the checklists with SNOMED CT codes



Traditional Pathology Report

- Colon, right, segmental resection to include appendix and ileum
- Micro: Mod diff colonic adenoca (2 cm)
- Mucinous adenocarcinoma invading through the bowel wall extending through muscular propria into overlying serosal surface of the bowel. 0/12 LNs involved. Margins are free of tumor. Benign appendix. All of twenty-two lymph nodes are free of tumor.
- TNM stage pT3 pNO pMX



Colon and Rectum Cancer Checklist

COLON AND RECTUM: Resection

Patient name:

Surgical pathology number:

MACROSCOPIC

Tui	mor Site
	Cecum
X	_ Right (ascending) color
	Hepatic flexure
	Transverse colon
	Splenic flexure
	Left (descending) colon
	Sigmoid colon
	Rectum
	Not specified




Colon and Rectum Cancer Checklist

Histologic Type Adenocarcinoma X Mucinous adenocarcinoma (greater than 50% mucinous) ____ Medullary carcinoma Signet-ring cell carcinoma (greater than 50% signet-ring cells) Small cell carcinoma Undifferentiated carcinoma Other (specify): Carcinoma, type cannot be determined **Histologic Grade** ___ Not applicable Cannot be determined **X** Low-grade (well to moderately differentiated) **High-grade** (poorly differentiated to undifferentiated)



SNOMED CT Encoded CAP Checklist






Pathologists and Pathology Labs

- RPP1
 - University of California at Irvine
 - University Hospitals of Cleveland
- RPP2
 - City of Hope Hospital, California
 - Maine Medical Center and Dahl Chase Labs
 - University of Pittsburg Medical Center
- Key issues
 - Integrate data entry into the normal work flow
 - Bring value added to the pathology lab



RPP Project Workflow





Pathology Lab Software Vendors

- RPP1
 - California C/NET solutions
 - Ohio Cerner
- RPP2
 - California Cerner
 - Maine Tamtron
 - Pennsylvania Cerner
- Key issues
 - Participation at an affordable price
 - Acceptance of the vocabulary and messaging standards



Cancer Registry Software Vendors

- RPP1
 - California C/NET Solutions
 - Ohio Rocky Mountain Software
- RPP2
 - California C/Net Solutions
 - Maine MRS
 - Pennsylvania CRS+
- Key issues
 - Integrate new approach in a cost effective manner
 - Bring value added to the registry



RPP Project - Process

- Key partners collaborate
 - Develop a guide for the collection and transmittal of data
 - Identify concepts without a LOINC code
 - Revise the checklists with CAP
 - Identify appropriate HL7 segments
 - Develop evaluation measures



Implementation Tables with SNOMED and LOINC codes

RPP Item #	Proposed Item Name for Messaging	CAP Checklist Item Name	LOINC code	Data type*	SNOMED code
4	Tumor Site	Tumor Site	33725-3	CE	263601005
11	Histologic Type	Histologic Type	31205-8	CWE	371441004
13	Histologic Grade (hi/low)	Histologic Grade	33732-9	CWE	371469007

*CE - Coded Element
CWE - Coded with exceptions



Implementation Tables RPP Fields to HL7 Segments

HL7 ID Number	HL7 Name	HL7 Req	RPP Req	Ohio Uses	Calif. Uses	contents, format, or example	Data Type
MSH:01	Field Separator	R	R	R	R	\perp	ST
MSH:02	Encoding Characters	R	R	R	R	"^~&"	ST
MSH:03	Sending Application	R	R	R	R	"CNETRPP" or "CoPathPlus"	HD
MSH:04	Sending Facility	R	R	R	R	Path Facility ID # (CLIA #) Name^Code^CLI A	HD
MSH:05	Receiving Application	Ο	0	Y	Y	e.g. "Cancer Registry Application"	HD
MSH:06	Receiving Facility	0	0	Y	Y	"UCI" or 'State Cancer Registry'	HD
MSH:07	Date/Time of Message	R	R	R	R	YYYYMMDDHH MMSS	TS

Table prepared by Barry Gordon



Evaluation

- Are the data from RPP more:
 - Complete
 - Timely
 - Of higher Quality
- Do we have a process that works well for the major partners
 - Pathologists
 - Cancer registries
- Is this method of data collection and transmission ready for a wider audience



Evaluation from RPP1

- Completeness of data
 - The narrative reports contain detailed information unavailable in the checklist
- Timeliness of data receipt is good
- Quality of data is good
- Additional work needs to be done to improve the process in the pathology labs
- All parties felt it worthwhile to pursue a second demonstration project



Challenges

- CAP Checklists designed for paper reporting
- CAP Checklists cover only 90% of all cancers
 - What about in situ cases
 - What about sites without a checklist
- Cost to pathology laboratory



Summary

- Changes in the environment
 - Pathologists create a new method of data capture
 - Cancer care moving away from hospital
 - **PHIN**
 - Importance of common vocabulary and message
- Provide opportunity to CDC and NPCR
 - To evaluate a new method of reporting
 - Surveillance data available more quickly



Contacts

- Ken Gerlach
 - 770-488-3008
 - kgerlach@cdc.gov
- Missy Jamison
 - 770-488-3154
 - mjamison@cdc.gov
- National Program of Cancer Registries
- http://www.cdc.gov/cancer/

